



## Hisense Dishwasher Specifications

Model	HSGA16FB	
Type description	Free standing	
Description	Dishwasher	
Colour	(FB) Black	
<b>PERFORMANCE</b>		
Energy rating	Star	3.5
Water rating	Star	5
Comparative energy consumption	kWh/ year	274
Energy consumption	kWh/ cycle	0.76
Water consumption	L/ year	2688
Water consumption	L/ cycle	12.7
Stand - by ON consumption	W	0.49
Stand - by OFF consumption	W	0.49
Time duration for ECO program	min	169
Noise level	dB	44
<b>KEY FEATURES</b>		
Place settings	16	
User interface	Dual Display	
Automatic door open	Yes	
Self cleaning program	Yes	
Inverter motor type	Brushless DC	
<b>DESIGN</b>		
Control panel colour	Black	
Door type	Free standing	
Door colour	(FB) Black	
Plinth type	Free standing	
Plinth colour	(FB) Black	
Hinges	Normal	
Adjustable feet	Yes	
Feet height adjustment	mm	50
Side panels/ colour	(FB) Black	
Top type	Flat cover	
Top colour	(FB) Black	

CONTROLS	
Programs selection	Touch
Programs indication	LED white display
Number of washing temperatures	5
Temperatures	70/ 65/ 55/ 45/ 35
Buttons number	10
On / off button	Yes
Delay time button	Yes
SpeedWash Button	Yes
Extra Hygiene button	Yes
Automatic door open button	Yes
Visual signal at end of program	On display
Audible signal at end of program	Yes
PROGRAMMS	
Number of programs	5
Program1	ECO
Program2	Intensive
Program3	Auto
Program4	Quick 20'
Program5	Rinse
Program6 - combination	AUTO + SpeedWash = Daily

BASKETS		
Basket colour		Light gray
Basket configuration		3 - Top
Upper basket glass holder		Foldable
Upper basket flexible cup holders		Yes - 2x
Knife stop		Yes
Upper basket regulation		Automatic 3 level
Foldable plate holders upper/bottom		4 / 4
3rd basket (Cutlery)		Yes
Basket handle		Yes
Others		Red knife holder large- 2x
CHARACTERISTICS		
Lower spray arm		Plastic
Top spray arm		Plastic
Top sprayer/ shower		Yes
Filter		Inox
Rinse-aid regulation		Electronic
Anti syphon		Yes
Inlet hose		Total Aqua Stop
Inlet hose length cm	cm	183
Aquastop system (outer base)		Yes
Drain hose length cm	cm	150
Water diverter valve (Dual Zone)		Yes
Heating element		Concealed
Water sensor		Yes
Drying system		Total dry (door pop out)
Water supply		Hot/ cold
Power supply		220-240Vac 50Hz
Net weight kg	kg	50
Net dimension (WxHxD)	mm	600 x 848 x 596
DOCUMENTS		
User manuals		English
Warranty statement		Yes
Service spare parts		Yes
Detergents sample		Yes
PACKAGING		
Packaging dimension (WxHxD)	mm	640 x 920 x 665
Weight with packaging (Kg)	kg	52.6

