



Hisense Dishwasher Specifications

| | | |
|--------------------------------|----------------------|------|
| Model | HSGA16FS | |
| Type description | Free standing | |
| Description | Dishwasher | |
| Colour | (FS) Stainless Steel | |
| PERFORMANCE | | |
| Energy rating | Star | 3.5 |
| Water rating | Star | 5 |
| Comparative energy consumption | kWh/ year | 274 |
| Energy consumption | kWh/ cycle | 0.76 |
| Water consumption | L/ year | 2688 |
| Water consumption | L/ cycle | 12.7 |
| Stand - by ON consumption | W | 0.49 |
| Stand - by OFF consumption | W | 0.49 |
| Time duration for ECO program | min | 169 |
| Noise level | dB | 44 |
| KEY FEATURES | | |
| Place settings | 16 | |
| User interface | Dual Display | |
| Automatic door open | Yes | |
| Self cleaning program | Yes | |
| Inverter motor type | Brushless DC | |
| DESIGN | | |
| Control panel colour | Stainless Steel | |
| Door type | Free standing | |
| Door colour | (FS) Stainless Steel | |
| Plinth type | Free standing | |
| Plinth colour | (FS) Stainless Steel | |
| Hinges | Normal | |
| Adjustable feet | Yes | |
| Feet height adjustment | mm | 50 |
| Side panels/ colour | (FS) Stainless Steel | |
| Top type | Flat cover | |
| Top colour | (FS) Stainless Steel | |

| CONTROLS | |
|----------------------------------|--------------------------|
| Programs selection | Touch |
| Programs indication | LED white display |
| Number of washing temperatures | 5 |
| Temperatures | 70/ 65/ 55/ 45/ 35 |
| Buttons number | 10 |
| On / off button | Yes |
| Delay time button | Yes |
| SpeedWash Button | Yes |
| Extra Hygiene button | Yes |
| Automatic door open button | Yes |
| Visual signal at end of program | On display |
| Audible signal at end of program | Yes |
| PROGRAMMS | |
| Number of programs | 5 |
| Program1 | ECO |
| Program2 | Intensive |
| Program3 | Auto |
| Program4 | Quick 20' |
| Program5 | Rinse |
| Program6 - combination | AUTO + SpeedWash = Daily |

| BASKETS | | |
|-------------------------------------|----|----------------------------|
| Basket colour | | Light gray |
| Basket configuration | | 3 - Top |
| Upper basket glass holder | | Foldable |
| Upper basket flexible cup holders | | Yes - 2x |
| Knife stop | | Yes |
| Upper basket regulation | | Automatic 3 level |
| Foldable plate holders upper/bottom | | 4 / 4 |
| 3rd basket (Cutlery) | | Yes |
| Basket handle | | Yes |
| Others | | Red knife holder large- 2x |
| CHARACTERISTICS | | |
| Lower spray arm | | Plastic |
| Top spray arm | | Plastic |
| Top sprayer/ shower | | Yes |
| Filter | | Inox |
| Rinse-aid regulation | | Electronic |
| Anti syphon | | Yes |
| Inlet hose | | Total Aqua Stop |
| Inlet hose length cm | cm | 183 |
| Aquastop system (outer base) | | Yes |
| Drain hose length cm | cm | 150 |
| Water diverter valve (Dual Zone) | | Yes |
| Heating element | | Concealed |
| Water sensor | | Yes |
| Drying system | | Total dry (door pop out) |
| Water supply | | Hot/ cold |
| Power supply | | 220-240Vac 50Hz |
| Net weight kg | kg | 50 |
| Net dimension (WxHxD) | mm | 600 x 848 x 596 |
| DOCUMENTS | | |
| User manuals | | English |
| Warranty statement | | Yes |
| Service spare parts | | Yes |
| Detergents sample | | Yes |
| PACKAGING | | |
| Packaging dimension (WxHxD) | mm | 640 x 920 x 665 |
| Weight with packaging (Kg) | kg | 52.6 |

